

Swivel Adaptors

Model 6GA

The Budenberg Swivel Adaptors have been designed for the ease of design and installation of Pressure Gauges and other instrumentation where positional orientation can be determined on site

The standard material is Stainless Steel, although other materials are available on request.

The 6GA is ideal for connection of Pressure Gauges to valves, and aids the ease of installation, especially of Differential Instruments.

Sizes available are from 1/4" to 1/2" in various configurations.

Suitable for all media that is resistant to 316 Stainless Steel.



Material Temperature

Body - 316 Stainless Steel as standard

Connection Size

1/2" NPT Male / 1/2" BSP Female
Other sizes available

Pressure Ranges

400 Bar - As standard at ambient temperature

Mounting

Inline

Temperature

Up to 400°C at reduced working pressures

Testing

100% Pressure / Hydrostatically tested


Options

Customer names etched on the body, special designs undertaken

NACE

Please contact our office

Dimensions



Model No	Size	A	B	C	Weight
6GA8M-8FBBS	1/2" NPT (M) x 1/2" BSP (F)	80mm	32mm	28mm	0.33kg
6GA8MFS/BB	1/2" NPT (M) x 1/2" BSP (F)	90mm	32mm	28mm	0.35kg

Authorised Australian distributor for



Procon Instrument Technology

1 / 119 Delta Street Geebung QLD4034

07 3823 1922

sales@proconit.com.au www.proconit.com.au

PIT_6GA-Swivel-Adaptors_v1.0